



**CARBIT**<sup>®</sup>

SPRAY BOOTH COATINGS

# CARBICOTE

STRIPPABLE COATINGS



Safe, peel-off protection for  
spray booth walls, lights,  
and floors.



# CARBICOTE STRIPPABLE COATINGS

## BRIGHT WHITE FOR WALLS

Carbit, established in 1925, made its first water base strippable, Carbicote, in 1989. Since then, hundreds of manufacturers have chosen Carbicote to protect their spray booths from the fire hazard of overspray accumulation.

Whether it is for spray booth walls, lights, or floors, Carbicote is the proven performer to get the job done.



WATER  
BASE

### **942 Commercial Grade Strippable Coating - WALLS**

The workhorse of the Carbicote line. 54% solids provides outstanding coverage. Excellent release when stripped even when subjected to elevated temperature. Heat tested for over 300 cycles at 180°F (82°C) for 20 minutes. Freeze/Thaw stable and bright white.



WATER  
BASE

### **948 All Surface Strippable Coating - WALLS**

Tough film releases from surfaces when conventional strippables do not. Withstands heat cycling. Freeze/Thaw stable and bright white.



WATER  
BASE

### **949 Economy Grade Strippable Coating - WALLS**

Economical option. High Solids. Good coverage and release from standard booth surfaces. Strips after heat cycling. Freeze/Thaw stable and bright white.



SOLVENT  
BASE

### **946 Solvent Base Strippable Coating - WALLS**

Dries in minutes and has excellent release qualities. Available in HAPs free version. Bright white.

## FOR ROUGH WALL SURFACES:



WATER  
BASE

### **920 Release Primer for Strippable Booth Coatings**

For use on refurbished booth walls that are rusted, pitted, or have some surface profile. Aids the release of the strippable topcoat. Apply by spray or roller. Not recommended for floors. Freeze/Thaw stable.



# CARBIT®

## HEAVY DUTY WHITE FOR FLOORS



SOLVENT  
BASE

### **947 Strippable Coating - FLOORS**

A bright white strippable that forms a seamless floor covering in minutes and withstands booth traffic within one hour. 947's tough film resists tearing, and strips readily from concrete booth floors. Applies quickly by spray or roller and removal creates less waste than paper. Suitable for walls. HAPs free.

## CRYSTAL CLEAR FOR LIGHTS



WATER  
BASE

### **945 Strippable Coating - LIGHTS**

The strippable standard for lights and windows. See-through clarity and transparent appearance contrasts with competitive offerings that are frosty and translucent. Same release qualities as 942.

Also recommended for powder coated steel and stainless steel booths.

## FOR POROUS FLOOR SURFACES:



WATER  
BASE

### **951 Prep Coat Clear Sealer**

A sealer for new or unsealed concrete floors that helps the release of 947 Floor Strippable. Little preparation required. Apply by spray or roller.

**carbit.com** lists our regional distributors in the U.S. and Canada

To view our Carbitcote Brochure online:  
**[www.carbitcotebrochure.com](http://www.carbitcotebrochure.com)**

To find a Carbitcote Distributor:  
**[www.carbitcotedistributors.com](http://www.carbitcotedistributors.com)**








# CARBIT®

## CARBICOTE Your Spray Booth in 9 Steps



1. Clean contaminants from walls, lights, and floors. Apply prep coats if necessary.



2. Spray Carbitcote White to walls with airless, HVLP, or conventional spray.



3. Measure wet film to ensure recommended coating thickness for stripping.



4. Spray Carbitcote White to completely cover booth ceiling, lights and windows. No masking required.



5. Score around windows and lights. Peel away white strippable from surfaces.




6. Spray 945 Crystal Clear on lights and windows. No masking required. 945 is transparent over white.



7. 945 Crystal Clear is milky in color when wet, but dries clear.



8. Apply 947 Floor Strippable with airless spray.



9. Your spray booth is clean, bright, and ready for use.

© 2010 Carbit Paint Co. rev. 4-14